energy harness
LED LIGHTING SOLUTIONS

Single-Ended LED Tube Installation Guide

Instructions

Note: Ballast must be removed for all single-end tubes.

1. Switch off power.
2. Remove fluorescent tube
3. Remove ballast/wiring cover
4. Cut off all wires connected to ballast and remove ballast completely
5. Connect “L” (line/hot) and “N” (neutral) to each non-shunted tombstone in one end of fixture
6. Remove all wires from opposite tombstones
7. Replace wire cover
8. Install LED tube, power side marked “L” and “N” to power side of fixture
9. Switch on power and add single ended tube sticker only



Warnings

WARNINGS, CAUTIONS AND OPERATING INSTRUCTIONS WARNING: “THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.”

1. Risk of fire or electric shock. Not for direct replacement of fluorescent lamps.
2. Risk of fire or electric shock. Luminaires wiring, ballasts, or other electrical parts may be damaged when installing reflector kit hardware. Check for enclosed wiring and components.
3. Risk of fire or electric shock. Reflector kit installation requires knowledge of fluorescent lighting electrical systems. IF YOU ARE NOT QUALIFIED, DO NOT ATTEMPT INSTALLATION. CONTACT A QUALIFIED ELECTRICIAN
4. To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or other sharp objects.

DANGER - RISK OF SHOCK - DISCONNECT POWER BEFORE INSTALLATION

WARNING - Risk of fire or electric shock. Install this kit only in the luminaires that have the construction features and dimensions shown in the photographs and/or drawings

SUITABLE FOR DRY OR DAMP LOCATIONS. DO NOT USE WITH DIMMERS.

THIS DEVICE IS NOT INTENDED FOR USE WITH EMERGENCY LIGHTS.

Lamps must be operated within an ambient fixture temperature of -22˚F and 113˚ F to ensure UL compliance.

Energy Harness Corporation (Corporate)
9353 Laredo Ave, Suite 100,
Fort Myers, FL 33905
1-239-790-3300 (Sales)

www.energyharness.com
sales@energyharness.com

Energy Harness Corporation (Midwest)
10815 Deandra Dr.
Zionsville, IN 46077
1-317-999-5561 (Midwest Sales)