



Energy Harness® LED Surface mounted Wrap Fixtures provide clean bright light with a slim modern appearance. Using the latest LED technology, these fixtures will increase the amount of light in your space and reduce your energy cost. All this along with easy installation and a maintenance free life makes them a great choice for any space!



Features

- Seamless lens
- Linkable fixtures
- Modern appearance
- Suitable for damp locations
- Easy installation
- No visible screws or fasteners

Applications

- Offices
- Hallways
- Restrooms
- Kitchens
- Stairwells
- Storage rooms




Specifications

- Input Voltage: 120-227VAC
- Wattage: 40W
- CCT: 4000K
- Suitable for damp locations
- PF > 0.9
- Efficacy: 108lm/w
- CRI: >80
- Lifespan: 80,000 hours
- Temp Rating: -4°F to 113°F

Accessories

- Fixture connector & lens suction cup (standard with each fixture)
- Surge protection device

Dimensions




4ft: Length = 47.6" | Width = 5.3" | Depth = 2.1" Weight = 3.75lbs

Performance Information (120VAC)

Model	Wattage	Lumens
EHF-WRAP-4040K-277-D010	40W	4320

Photometrics



Ordering Guide

Example Model Number: EHF-WRAP-4040K-277-D010

Product Series	EHF-WRAP
Wattage	40 = 40W
CCT	40K = 4000K
Voltage	277 = 120-277VAC
Dimming	D010 = 0-10V Dimmable

Model Number: EHF- WRAP-4040K-277-D010

Project Name:

Date:

Specified By: